

IN-STOCK MOULDINGS



03

STOCK BASEBOARDS

- Primed LDF
- Primed FJ Poplar
- Unprimed Solid Poplar
- Primed FJ WP

17 STOCK CASINGS

- Primed LDF
- Primed FJ Poplar
- Unprimed Solid Poplar
- Primed FJ WP

28 STOCK CROWNS

- Primed LDF
- · Primed FJ Poplar
- Unprimed Solid Poplar
- Primed FJ WP
- Cypress

45 STOCK CHAIR RAILS

- Primed LDF Chair Rail/Misc.
- Primed FJ Poplar
- Unprimed Solid Poplar
- Primed FI WP

50

STOCK S-4-S SURFACED 4 SIDES

- Primed LDF
- Primed FJ Poplar
- Unprimed Solid Poplar
- Primed FJ WP
- Red Oak
- Hard Maple
- Sapele Mahogany
- Select Cypress
- PVC

63

STOCK T&G MISC.

V-JOINT

- Primed LDF
- Primed FJ WP
- Select Cypress
- #2 Cypress

T&G NICKEL GAP

- Primed LDF
- Primed FJ WP
- Select Cypress
- C & Btr Fir

WINDOW STOOL

Primed FJ Poplar

WINDOW EXT.

Primed LDF

SHEET GOODS

- AC Plywood
- Birch Plywood
- MDF
- White Maple
- Bending Plywood
- Pine Face Bead Board

BRICK MOULDING

- Primed FJ WP
- PVC
- Sapele Mahogany

DOOR STOP

- Primed FJ Poplar
- Unprimed Solid Poplar
- Primed FJ WP
- Shoe Mid, Cove, Qtr. Round

T-ASTRAGAL

- Primed FJ Poplar
- PVC Exterior

BASE CAP

- Primed FJ Poplar
- Primed FJ WP Base Cap

PANEL MOULDING

Primed FJ Poplar

ROPE MOULDING

Poplar

APPLIED MOULDING

- Primed FJ Poplar
- Solid Clear WP
- Plinth & Rosettes
- Decra Moulding

STYLES

- Contemporary
- Combinations


STORAGE & HANDLING & FINISHING


87


LDF DOORS


- Plantation Series
- Cross Section
- Custom Entry Doors


Stock Baseboards
























BA 612 11/16" x 6-1/2"





BA 718 11/16" x 7-1/8"




BA 714H 3/4" x 7-1/4"











812 11/16" x 8-1/2"


Stock Casings




LDF CA212B 11/16" x 2-1/2"




LDF CA258 11/16" x 2-5/8"




LDF CA258A 11/16" x 2-5/8"




LDF 445 11/16" x 3-1/4"




LDF CA312 11/16" x 3-1/2"




LDF CA312A 1" x 3-1/2"




LDF CA312B 11/16" x 3-1/2"




LDF CA312C 5/8" x 3-1/2"




LDF RB3 1" x 3-1/2"




11/16" x 3-1/2"




LDF CA358A 1" x 3-5/8"




11/16" x 3-1/2"




LDF CA358 1" x 3-5/8"




LDF CA334 7/8" x 3-3/4"





LDF CA334C 13/16" x 3-3/4"




LDF CA4 1" x 4"









CH 312BPP 1-1/16" x 3-1/2" **Used as Casing**



CA 358PP 1" x 3-5/8"



CA 312NPP 3/4" x 3-1/2"




CA 4DPP 3/4" x 4"



CA 4PP 1" x 4"




CA 4CPP 1" x 4"







CA 212A 3/4" x 2-1/2"




CA 314 3/4" x 3-1/4"




CA 35A 3/4" x 3-1/2"




CA 35B 13/16" x 3-1/2"




CA 4H 1-1/4" x 4"




316L 11/16" x 2-1/4"




376L 11/16" x 2-1/4"




366L 11/16" x 2-1/4"




BHOWE 11/16" x 2-1/4"




462 11/16" x 2-3/4"




445 11/16" x 3-1/4"





M3 13/16" x 3-3/8"



RB3 1" x 3-1/2"









M4316 1-3/16" x 4-3/16"



VC 11/16" x 3-1/2"




MWSVC 11/16" x 3-1/2"




326 13/16" x 3-1/2"




CA 212B FJWP 11/16" x 2-1/2"




CA 258 FJWP 11/16" x 2-5/8"



CA 258A FJWP 11/16" x 2-5/8"





212N 11/16" x 2-1/2"





312N 21/32" x 3-1/2"


Stock Crowns












































212C 3/4" x 1-7/8" Select Cypress




CR 514C3/4"x 5-1/4"
Select Cypress


Stock Chair Rails



LDF 914 5/8" x 2-7/16" Base Cap





LDF BB112 1-3/16" x 1-1/2" Back Band




LDF 850M 1-1/8" x 1-3/4" Wainscot Cap












9/16" x 2-1/4"



1-1/16" x 2-3/8"





11/16" x 2-5/8"





1-1/16" x 3"


Stock S-4-S Surfaced 4 Sides






























Stock T&G Misc.


Primed FJ WP Primed LDF Primed LDF SY PINE V-Joint V-Joint Thin V-Joint Thick V-Joint Ship Lap 16 TGVJ PFJ **LDF 16 VJ** LDF 16 VJA **16 SYPTGVJ** 11/16" x 5-1/2" 1/2" x 5-1/2" 11/16" x 5-1/2" 3/4" x 5-1/2"



16 C TG 3/4" x 5-1/2" Select Cypress



16 2C TGVJ 3/4" x 5-1/2" #2 Cypress



Nickel Gap FJWP

18 FJ NG 5/8" x 7-1/4" Length 16'



16 FJ NG 5/8" x 5-1/8" Length 16'



Nickel Gap

162 CNG 3/4" x 5-1/2" #2 Cypress




16 CNG 3/4" x 5-1/2" Select Cypress





16 NGF 11/16" x 5-1/4" Raw C-Fir




16 SYPTGNG3/4" x 5-1/2"
Southern Yellow Pine









412WE PP

412WE PP 11/16" x 4-1/2"

AC PLYWOOD

34 AC P 3/4" x 4' x 8'

BENDING PLY

38 BP C 3/8" x 4' x 8' - Column

38 BP T 3/8" x 4' x 8' - Barrell

BIRCH G1 S

14 B P 1/4" x 4' x 8'

12 B P 1/2" x 4' x 8'

34 B P 3/4" x 4' x 8'

WHITE MAPLE

14 WM P 1/4" x 4' x 8' C-4

12 WM P 1/2" x 4' x 8' B-2

34 WM P 3/4" x 4' x 8' B-2

MDF MEDIUM DENSITY FIBER

14 MDF P 1/4" x 4' x 8'

12 MDF P 1/2" x 4' x 8'

34 MDF P 3/4" x 4' x 8'

3410 MDFP 3/4" x 4' x 10'


PINE FACE BEAD BOARD

38 BB P 3/8" x 4' x 8'

PRIMED WP FG BRICK MOULD




180 PRIMED FJ WP 1-1/4" x 2" Length 17'




176L PRIMED FJ WP 11/16" x 1-5/8" Length 17'

PVC BRICK MOULD - SMOOTH & TEXTURED

17' LENGTH



18017 SPVC 18017 TPVC 1-1/4" x 2"



176S PVC 176T PVC 11/16" x 1-5/8"


PVC QUARTER ROUND AVAILABLE LENGTH 8' ONLY

PVC LATTICE SAPELE MAHOGANY BRICK MOULD AVAILABLE LENGTH 8' ONLY


PVC GLASS STOP



QRPVC 85/16" x 9/16"
SMOOTH 8'-6"




105 PVC 3/4" x 3/4" SMOOTH




266 8 PVC 1/4" x 1-1/2" SMOOTH 8' LENGTH




180 M 1-1/4" x 2"






PRIMED FJ WP DOOR STOP & SHOE MOULD




PRIMED FJ WP COVE & QTR ROUND

16' LENGTH







T 1389T PP1-3/8" Door x 9' Lengths
Primed FJ Poplar Traditional




T 1349T PP1-3/4" Door x 9' Lengths
Primed FJ Poplar Traditional




T 1388F PP 1-3/8" Door Primed FJ Poplar 8' Lengths



T 1348F PP 1-3/4" Door Primed FJ Poplar 8' Lengths




T 13410F PP
1-3/4" Door
1-3/8" Door
Primed FJ Poplar 10' Lengths




T 1348KS PVC
PVC Exterior
1-3/4" Door x 8' Lengths

PRIMED FJ POPLAR BASE CAP


17' LENGTH




BC 8BPP 5/8" x 1-3/4"




BC 8APP




BC 8FPP 1/2" x 1-1/2" 5/8" x 1-1/2"



BC 818PP 5/8" x 1-7/16" 3/4" x 1-1/4"




BC 714NPP



BC 714DPP 3/4" x 1-5/8"


PRIMED FJ POPLAR BASE CAP

16' LENGTH



PRIMED FJ POPLAR BASE CAP

17' LENGTH



POPLAR ROPE MOULDING

8' LENGTH




RP34 5/16" x 3/4"




AM 34PP 1/2" x 3/4"




AM 78PP 1/2" x 7/8"



AM 1PP 5/8" x 1"




AM 118PP 9/16" x 1-1/8"




AM 114PP 9/16" x 1-1/4"




AM 112PP 3/4" x 1-1/2"




AM 158PP 3/4" x 1-5/8"




AM 134PP 9/16" x 1-3/4"



AM 134APP 11/16" x 1-3/4"




AM 134BPP 3/4" x 1-3/4"




AM 11516PP 13/16" x 1-15/16"




AM 2PP 3/4" x 2"




AM 218PP 9/16" x 2-1/8"




AM 214PP 13/16" x 2-1/4"



239 11/16" x 11/16"





254 1/2" x 3/4"



205 1-1/8" x 1-1/8"

OUTSIDE CORNER





268 1/4" x 1-1/8"



S4S PINE LATTICE

267 1/4" x 1-3/8"



266 1/4" x 1-1/2"

QTR ROUND




110 1/4" × 1/4"




108 1/2" x 1/2"


HALF ROUND



122 3/4" x 8'




120 1"



DENTIL STRIP 1/2" x 5/8" x 8'



142 3/16" x 3/4"




144 3/16" x 3/4"




OVOLO 3/8" x 5/8"



281 BACK BAND 11/16" x 1-1/8"



987 3/8" x 2" x 8'



988 3/8" x 1-1/2" x 8'




ROSETTE



ROSE 212 BULLS EYE 2-1/2" x 2-1/2" x 1"

ROSE 334 BULLS EYE 3-3/4" x 3-3/4" x 1-1/8"

ROSE 414 BULLS EYE 4-1/4" x 4-1/4" x 1-5/16"



PLINTH 3346 3-3/4" x 6" x 1-1/8"

PLINTH 3348 3-3/4" x 8" x 1-1/8"



PLINTH BLOCK




PLINTH 33412 3-3/4" x 12" x 1-1/8"


PLINTH 4148 4-1/4" x 8" x 1-5/16"

PLINTH 41412 4-1/4" x 12" x 1-5/16"

SOLID CLEAR WHITE PINE DECRA MOULDING



DM R42 11/16" x 1-3/4" 8' Lengths




DM A9 3/4" x 1-1/4" 8' Lengths





DM D7 5/16" x 7/8" 8' Lengths




DM L583/16" x 1/2"
8' Lengths










DM L511/4 Circle
1/2"











LDF Doors



CUSTOM ENTRY DOORS BY SPECIAL ORDER









STORAGE AND HANDLING

At no time should Mouldings and Doors be stored in a damp or freshly plastered area. Store products flat, on a dry interior surface in such a manner as to allow circulation of air. Relative humidity in the area should not be less than 30% or greater than 60%. Never subject Moulding or Doors to abnormal heat, extreme dryness or humidity, or any sudden changes in atmospheric conditions. All Hardwood products should be allowed to acclimate to the average prevailing atmospheric conditions within the installation area.

FINISHING

Due to the nature of the materials and various finishes available, Smith & DeShields makes no claim as to the possible finished product, however, the following recommendations are offered and should be adhered to:

- All Moulding and LDF Doors must be finished with 120 or 150 grit sandpaper prior to finishing.
- Avoid initial sanding with grit finer than 120.
- Always seal all concealed and back surfaces of Moulding to minimize expansion and contraction, expansion and contraction is a natural characteristic of wood products and will not be deemed a defect.
- Always consult the manufacturer of the finish to be used as to its specific application on the species of wood chosen. Various finishes react differently to various woods.





VISIT ONE OF OUR SHOWROOM LOCATIONS

- NAPLES FL2360 TRADE CENTER WAY34109
- **1** (239) 591-2224
- ♥ BOCA RATON FL 165 N.W. 20TH STREET 33431
- **(**561) 395-0808

- ♥ FORT MYERS FL11790 METRO PARKWAY, SUITE B33966
- **1** (239) 337-2224
- O JUPITER FL 1001 JUPITER PARK DRIVE, SUITE 124 33458
- **(561) 427-0808**